

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

<b>ENGINE AND EQUIPMENT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
ENGINE ASSY	B 6.7 '17, 200 HP / 2600RPM / 520 FT-LB, CUMMINS	B 6.7 '17, 220 HP / 2600RPM / 520 FT-LB, CUMMINS B 6.7 '17, 240 HP / 2600RPM / 560 FT-LB, CUMMINS B 6.7 '17, 260 HP / 2600RPM / 660 FT-LB, CUMMINS L9 '17, 260 HP / 2200RPM / 720 FT-LB, CUMMINS L9 '17, 270 HP / 2200RPM / 800 FT-LB, CUMMINS L9 '17, 350 HP / 2200RPM / 1000 FT-LB, CUMMINS L9 '17, 350 Hi HP / 2200RPM / 1150 FT-LB, CUMMINS L9 '17 300HP / 2200RPM / 860 LB-FT, CUMMINS L9 '17 330HP / 2200RPM / 1000 LB-FT, CUMMINS L9N '18 250 HP @ 730 FT-LB L9N '18 260 HP @ 660 FT-LB L9N '18 300 HP @ 860 FT-LB RH HORIZONTAL SMA LH VERTICAL CATALYST RH HOR CATALYST
MUFFLER SYSTEM (DIESEL) MUFFLER SYSTEM (GAS)	LH VERTICAL SMA	LH FRAME MTD 5 GAL. CAPACITY LH FRAME MTD 10 GAL. CAPACITY RH FRAME MTD 10 GAL. CAPACITY NO DEF TANK PROVIDED 13" ONE STAGE WITH SAFETY ELEMENT
UREA DELIVERY SYSTEM	RH FRAME MTD 5 GAL. CAPACITY	LH FRAME MTD 5 GAL. CAPACITY LH FRAME MTD 10 GAL. CAPACITY RH FRAME MTD 10 GAL. CAPACITY NO DEF TANK PROVIDED 13" ONE STAGE WITH SAFETY ELEMENT
AIR CLEANER	13" ONE STAGE	13" ONE STAGE WITH SAFETY ELEMENT
RADIATOR	1000 SQ. IN. 3 ROW HIGH CAPACITY, COPPER / BRASS	1000 SQ. IN. ALUMINUM
RADIATOR SHELL/HOOD BEZEL	NO RADIATOR GUARD	RADIATOR GUARD
FAN & DRIVE-ENGINE	FAN CLUTCH, VISCOUS	2-SPEED FAN
COOLANT HOSES	SILICONE HOSES WITH STEEL TUBING	
RADIATOR COOLANT	EXTENDED LIFE COOLANT	
ENGINE BLOCK HEATER	NO ENGINE BLOCK HEATER PROVIDED	PHILLIPS 120V 1000 WATT
HEATER RECEPTICAL LOCATION-ENGINE	NO BLOCK HEATER RECEPT. PROVIDED	RECEPTACLE LOCATED AT CAB STEPS, RH SIDE
STARTING AID-GLOW PLUG	GRID HEATER	NO ELECTRIC STARTING AID PROVIDED
HEATER-ENGINE OIL PAN	NO OIL PAN HEATER PROVIDED	ZERO-START,120V-150W, OIL PAN HEATER
ENGINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN ENABLED ( 5 MINUTES )	ENGINE IDLE SHUT DOWN DISABLED
BRAKE-ENGINE	NO ENGINE BRAKE PROVIDED	CUMMINS VGT EXHAUST BRAKE
EXHAUST PIPING	NO EXHAUST BLANKETS	EXHAUST BLANKETS
<b>TRANSMISSION AND EQUIPMENT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
TRANSMISSION	ALLISON 3000 SERIES,6-SPEED	ALLISON 3500 SERIES,6-SPEED
TRANSMISSION GEARING	6-SPEED	
TRANSMISSION CONTROLS	ALLISON PUSHBUTTON CONTROLS	
COOLER-TRANSMISSION OIL	OIL TO WATER TYPE	REMOTE MOUNTED TOC
TRANSMISSION LUBRICANT	TRANSYND SYNTHETIC AUTO TRANS FLUID	
DRIVESHAFT-MAIN	SPICER 1710HD HALF ROUND	
TRANSMISSION SUPPORTS	NO TRANSMISSION SUPPORTS PROVIDED	TRANSMISSION REAR SUPPORT
PTO-TRANSMISSION MOUNTED	NO TRANSMISSION MOUNTED PTO PROVIDED	PTO PREP - 3000/3500 TRANSMISSION W/ REAR SUPPORT MUNCIE CS6B-A6705-S1SS MUNCIE CS24-A1010-H3BX
TRANSMISSION BREATHER	NO REMOTE TRANSMISSION BREATHER	TRANSMISSION REMOTE BREATHER
TRANSMISSION OIL FILL/CHECK	OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	OIL FILL TUBE / DIPSTICK W / LEVEL SENSOR W / REMOTE BREATHER
<b>FRONT AXLE AND EQUIPMENT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
FRONT AXLE	DANA 1202W STEER AXLE, 12000 LB CAPACITY	DANA E-1322-W, 13,200 LB CAPACITY DANA E-1462W STEER AXLE, 14600 LB CAPACITY MERITOR MFS-14 STEER AXLE, 14700# RATING XXXX MERITOR MFS-16 STEER AXLE, 16000# RATING MERITOR MFS-18 STEER AXLE, 18000# RATING
FRONT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	6000 LB FLATLEAF 13,200K GND CAP 6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY 8500 LB FLATLEAF 18,800 GROUND CAPACITY

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

SHOCK ABSORBERS-FRONT STEERING GEAR	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM T100 DUAL INTEGRAL POWER STEERING T100 DUAL INTEGRAL POWER STEERING TAS85 DUAL INTEGRAL POWER STEERING TAS65 FOUR QUART REMOTE MOUNTED ABS 4S/4M W/PLC AND ATC MERITOR 16.5X6 QP
POWER STEERING RESERVOIR	TWO QUART REMOTE MOUNTED	
BRAKE CONTROL SYSTEM	ABS 4S/4M W/PLC	
BRAKES-FOUNDATION, FRONT AXLE	MERITOR 16.5X5 QP	
BRAKE DRUM-FRONT	CAST IRON	
BRAKE SLACK ADJUSTERS-FRONT AXLE	MERITOR AUTOMATIC	
HUBS-FRONT	STEEL HUB PILOTED,285MM BOLT CIRCLE	
HUB CAPS - FRONT AXLE	CR ZYTEL HUBCAP	
FRONT AXLE LUBRICANT	STANDARD	SYNTHETIC,DANA SPICER EP75W90,OR EQUIV
DUST SHIELDS - FRT BRAKES	NO FRONT BRAKE DUST SHIELDS PROVIDED	DUST SHIELDS - FRONT BRAKES

<b>REAR AXLE AND EQUIPMENT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
--------------------------------	-----------------	-----------------

AXLE MODEL	MERITOR RS24-160, SINGLE REDUCTION AXLE (6.14 : 1 RATIO)	DANA SPICER 21060S 21,000 LB CAPACITY (6.17 or 7.17 : 1 RATIO) DANA SPICER S21 - 170E SINGLE SPEED 21,000 LBS (6.17 or 7.17 : 1 RATIO) DANA SPICER 21065T TWO SPEED 21,000 LBS (6.14/8.42 or 7.17/9.77 : 1 RATIO) DANA S23-170, SINGLE REDUCTION AXLE (6.14 or 7.17 : 1 RATIO) DANA S23-190E SINGLE REDUCTION AXLE (6.14 or 7.17 : 1 RATIO) DANA SPICER 23082T TWO SPEED 23,000 LBS (6.17/8.40/739 or 5.43/840/739: 1 RATIO) MERITOR RS26-185, SINGLE REDUCTION AXLE (6.14 : 1 RATIO) DANA S30-190 WIDE TRACK AXLE, (30,000 LB CAPACITY) (6.14 or 7.17 : 1 RATIO) DANA S30-190, (30,000 LB CAPACITY) (6.14 or 7.17 : 1 RATIO)
REAR SUSPENSION	HENDRICKSON HTS 23,000 LBS	HENDRICKSON HTS 21,000 LBS HENDRICKSON HTS 26,000 LBS HAS - 210 AIR RIDE SUSPENSION HAS - 230 AIR RIDE SUSPENSION HENDRICKSON PAX-EX 262, AIR RIDE, 26,000 LB CAPACITY REYCO 102CC 31000 LB GROUND CAPACITY HENDRICKSON HTS 31,000 LBS FOR AIR SUSPENSION - OUTBOARD MOUNTED FOR AIR SUSPENSION - INBOARD MOUNTED NO SHOCK ABSORBERS REAR SUSP. PROVIDED
SHOCK ABSORBERS-REAR	2 SHOCK ABSORBERS	ABS 6S/4M W/ATC & PLC MERITOR 16.5X6 QP
BRAKE CONTROL SYSTEM	ABS 6S/4M W/PLC	
BRAKES-FOUNDATION, REAR AXLE	MERITOR 16.5X5 QP	
BRAKE DRUMS	CAST IRON	
BRAKE SLACK ADJUSTERS-REAR AXLE	ARVIN MERITOR AUTOMATIC-SINGLE AXLE	
HUBS-REAR	IRON HUB, HP 10 STUD	
REAR AXLE LUBRICANT	STANDARD	SYNTHETIC
REAR DRIVE AXLE STOPS	REAR BUMPSTOPS REQUIRED	NO REAR BUMPSTOPS REQUIRED
REAR DRIVE AXLE ANTI-SPIN DEVICES	NO ANTI-SPIN DEVICES PROVIDED	SINGLE AXLE FULL LOCKING WHEEL DIFF.
TORQUE RODS	LONGITUDINAL ONLY - RUBBER BUSHED	LONGITUDINAL & TRANSVERSE - RUBBER BUSHED
WHEEL OIL SEALS-REAR	SCOTSEAL PLUS XL	
DUST SHIELDS - REAR BRAKES	NO REAR AXLE DUST SHIELDS PROVIDED	DUST SHIELDS - REAR BRAKES

<b>CHASSIS AND EQUIPMENT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
------------------------------	-----------------	-----------------

WHEELBASE	164 INCHES	132, 135, 136, 138, 141, 144, 147, 149 INCHES 151, 152, 155, 157, 158, 161, 166, 167, 170, 171, 174, 178 INCHES 181, 184, 186, 190, 193, 196 INCHES 200, 203, 206, 209, 212, 215, 218, 220, 221, 222, 227, 234, 247 INCHES RANGE BY REQUEST
FRAME RAILS	10" X 3" X 3/8" 120KSI STRAIGHT RAIL SECTION - 2.13M RBM	
FRAME REINFORCEMENT INNER	NO INNER FRAME REINFORCEMENT PROVIDED	.25" LINER, STANDARD LENGTH
FRAME FASTENERS	HUCK BOLTS	FASTENERS AVAILABLE BY REQUEST FOR BODY MOUNTING
BUMPER FRONT	STANDARD DUTY BUMPER	HEAVY DUTY

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

TOW DEVICE(S)	TWO TOW HOOKS INTEGRAL W/X-MEMBER	
FRAME-FRONT EXTENSION	NO FRONT FRAME EXTENSION PROVIDED	HD FRONT MOUTING EQUIPMENT (LOAD CAP 4000NM, 2950 TO 3800NM, 2800 FT. LBS.)
FRAME-REAR CUT-OFF	STRAIGHT	NOTCH FOR SWEEPER BODY
FRAME CROSSMEMBER-CENTER	7-PIECE STEEL CROSSMEMBERS	
FRAME CROSSMEMBER-OVERHANG	7 PC STEEL CMBR ROS - IF REQUIRED	
FRAME CROSSMEMBER-END CLOSING	NO FRAME END CLOSING X-MEMBER PROVIDED	STEEL
AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	

<b>PNEUMATIC SYSTEM (RAPID FILL)</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
--------------------------------------	-----------------	-----------------

AIR COMPRESSOR	CUMMINS WABCO 18.7 CFM COMPRESSOR	
AIR RESERVOIR DRAIN SYSTEM	PULL CORDS ALL TANKS	PULL CORDS WITH DV/2 WET TANK DRAIN PULL CORDS WITH HEATED DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH HEATED DV/2 WET TANK DRAIN DV/2 IN ALL TANKS (NON-HEATED) CENTRAL DRAIN MANIFOLD W/HTD DV/2 WET TANK DRAIN/SCHRADER CHARGE PORT
AIR TANK-BRAKE	STEEL TANKS FOR SINGLE AXLE	
AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	
AIR DRYER	WABCO 1200 PLUS AIR DRYER	WABCO 1200 PLUS AIR DRYER W/HALDEX CONSEP CONDENSER/SEPARATOR
EMERGENCY AIR SYSTEM CHARGING	NO EMERGENCY CHARGING SYSTEM	SINGLE GLADHAND, FRONT BUMPER, WET TANK

<b>FUEL SYSTEM</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
--------------------	-----------------	-----------------

FUEL TANK-LEFT	TEMP. FUEL TANK	50 GAL RECT STEEL TANK, LH MOUNTED 50 GAL ALUMINUM RECR TANK, LH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" ROUND STEEL TANK 100 GAL 26" DIA UNPAINTED ALUM 100 GAL 26" DIA STEEL ALTERNATE FUEL ENGINE-NO LH TANK DELETE LHS FUEL TANK
FUEL TANK-RIGHT	DELETE RHS FUEL TANK	50 GAL RECT STEEL TANK, RH MOUNTED 50 GAL ALUMINUM RECT TANK, RH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" DIA STEEL 100 GAL 26" DIA UNPAINTED ALUM 100 GAL 26" DIA STEEL
FUEL TANK MOUNTING LHS	FUEL TANK MTD FWD LHS - STD (IF PROVIDED)	FUEL TANK MTD LHS OTHER THAN STD - SPECIFY NO LH FUEL TANK POSITION
FUEL TANK MOUNTING RHS	NO RH FUEL TANK POSITION	FUEL TANK MTD FWD RHS - STD (IF PROVIDED) FUEL TANK MOUNTED RHS OTHER THAN STD - SPECIFY
FUEL FILTER ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	NATURAL GAS FUEL CLEANER
FUEL FILTER CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR, PROBE & DASH LIGHT	FLEETGUARD FS SERIES F / W HEATER, SEPARATOR, PROBE & DASH LIGHT NO ADDITIONAL FUEL FILTER PROVIDED
FUEL LINES	SAE J844 NYLON TUBING	STAINLESS STEEL FOR CNG OR LNG

<b>TIRES AND WHEELS</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
-------------------------	-----------------	-----------------

TIRE SIZE & LOAD RANGE - FRONT	11R22.5G	12R22.5J 11R22.5H 12R22.5H 275/70R22.5J 295/75R22.5G 315/80R22.5L 315/80R22.5M
WHEELS-DISC FRONT	22.5x8.25 STEEL HP, 6.18 INSET, 5HH	22.5x8.25 ALUMINUM HP, 5.79 INSET, ALCOA #883677 LV1 FINISH 22.5 x 8.25, ALUMINUM HP, 5.71 INSET, ACCURIDE 22.5X9.00 ALUMINUM HP, 5.96 INSET, ALCOA #89U64 22.5X9.00 ALUMINUM HP, 6.02 INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.0 STEEL HP, 6.38 INSET, 5HH

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

TIRE SIZE & LOAD RANGE - REAR	11R22.5G	22.5X9.0 STEEL, HP, 5.25 INSET, 5HH, ACCURIDE #29039 11R22.5H 12R22.5H 12R22.5J 275/70R22.5J 295/75R22.5G 315/80R22.5L 315/80R22.5M 455/55R22.5M
WHEELS-DISC REAR	22.5X8.25 STEEL, HP, 5HH	22.5X9.00 ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9.0 STEEL, HP, 5HH 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X14 ALUMINUM HP, ALCOA #840608 LV1 FINISH 22.5X9 ALUMINUM HP, 5.96 INSET, ALCOA #89U64 22.5 x 8.25, ALUMINUM HP, ACCURIDE

<b>ELECTRICAL SYSTEM</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
--------------------------	-----------------	-----------------

ELECTRICAL SYSTEM	12V, NEGATIVE GROUND	
ALTERNATOR	DELCO REMY 12V 130AMP 22SI	DELCO REMY 36SI 12V 160 AMP DELCO REMY 160 AMP, 28SI PAD MTD W/REMOTE SENSE DELCO REMY 200 AMP, 28SI PAD MTD. DELCO REMY 12V 39 MT W/OC
STARTING MOTOR	DENSO 12V STARTER W/OC	DELCO REMY 12V 39 MT W/OC
BATTERY	2 BATTERIES, 12V, 1500CCA	2 BATTERIES, 31 ECL, 12V, 1900CCA 2 BATTERIES, 31 ECL, 12V, 2000CCA
BATTERY BOX	BATTERY BOX, 2 BATTERY CAPACITY	
BATTERY SHUT-OFF SWITCH	NO BATTERY SHUT-OFF SWITCH PROVIDED	SHUTOFF W/ LOCKOUT & EMERGENCY JUMPER STUDS
WIRING, BODY INTERFACE	NO BODY INTERFACE OPTION	RP 170 COMPLIANT
BACKUP ALARM	ECCO SMART ALARM SA917	ECCO RMS 917 WITH MOTION DETECTOR XXXX NO BACKUP ALARM PROVIDED
WINDSHIELD WIPERS	ELECTRIC INTERMITTENT WIPERS	
HORN	SINGLE ELECTRIC	
HORN-AIR	NO AIR HORN PROVIDED	TWIN MOUNTED UNDER CAB

<b>LIGHTING</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
-----------------	-----------------	-----------------

LAMPS-HEAD	RECTANGULAR SEALED BEAM	LED HEADLAMPS
LAMPS-RUNNING	NO DAYTIME RUNNING LIGHTS PROVIDED	DAYTIME
LAMPS-STOP-TAIL	NO TAIL OR BACK-UP LAMPS PROVIDED	DOT 4 INCANDESCENT TAIL (TURN/BRAKE/BACK-UP) LAMPS DOT 4 LED TAIL (TURN/BRAKE/BACK-UP) LAMPS DUAL LED TRUCKLITE MODEL 44
STOP-TAIL HARNESS	OMIT TAIL LAMPS, BB CONN @ EOF	STD TAIL LAMP WIRING
LAMPS-TURN SIGNAL -FRONT	AMBER FRONT TURN SIGNALS	LED FRONT TURN SIGNALS
LAMPS-MARKER	AMBER LED ROOF MARKERS	CLEARANCE (ROOF CORNER) LAMPS WIRED TO BATTERY SHUT OFF (LINK TO DISCONNECT SWITCH)

<b>CAB AND EQUIPMENT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
--------------------------	-----------------	-----------------

CAB SHELL	SINGLE LEFT HAND DRIVE CAB	DUAL DRIVE LH AND RH SIT SINGLE RIGHT HAND DRIVE CAB
CAB DOORS	STEEL DOORS W/DUAL POWER WINDOWS	
STEP-CAB ACCESS, CAB MOUNTED	DUAL SELF CLEANING CAB ENTRANCE STEPS	
CAB FLOOR	WEAR RESISTANT MAT WITH FOAM BACK	
CAB DASH	DARK GREY WRAP-AROUND, 2X OVERSIZED CUP HOLDERS	
OVERHEAD CONSOLE	2X STORAGE BINS, CENTER MOUNTED RADIO SLEEVE	
CAB MOUNTING	PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR	
CAB TILT MECHANISM-C.O.E.	HYDRAULIC TILT WITH OUTO ENGAGE SAFETY LATCH	
MIRRORS-DUAL WEST COAST	MIRROR, BLACK, MOTORIZED/HTD POLYCARBONATE HOUSING W/SQUARE MOTORIZED/HTD CONVEX MIRROR	MIRROR, CHROME, HTD. REMOTE, W / LWR HTD CONVEX
MIRRORS-AUXILIARY	NO CONVEX AUX. MIRRORS PROVIDED	LOW MOUNT 8 CONVEX MIRROR BLACK POLYCARBONATE HOUSING HIGH MOUNT 8 CONVEX, CHROME

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

DOWN VIEW MIRRORS	NO DOWN VIEW MIRRORS PROVIDED	SINGLE DOWN VIEW MIRROR, RH SIDE DUAL DOWN VIEW MIRRORS, ONE EACH SIDE
GRILLE	AUTOCAR GRILLE BLACK	CHROMED AUTOCAR GRILLE AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER
CAB CLIMATE CONTROL SYSTEM	44,000 BTU FRESH AIR, HEATER AND AIR CONDITIONER, DIGITAL CLIMATE CONTROL	
STEERING COLUMN STEERING WHEEL	ADJ. TILT AND TELESCOPIC STEERING COLUMN SINGLE DRIVE 16 INCH DIAMETER	DUAL ADJ. TILT AND TELESCOPIC STEERING COLUMNS SINGLE DRIVE 18 INCH DIAMETER DUAL DRIVE 16 INCH DIAMETER DUAL DRIVE 18 INCH DIAMETER
SEAT-DRIVER	STANDARD MECHANICAL SUSPENSION WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE W/ RH ARM REST AND LUMBAR SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT
SEAT-PASSENGER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE W/ LH ARM REST AND LUMBAR SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT
ADDITIONAL SEAT - PASSENGER SEAT COVERING SEAT BELT	NO THIRD MAN SEAT AND LAP BELT PROVIDED BLACK CONDURA PLUS® CLOTH FABRIC THREE POINT RETRACTABLE	THIRD MAN SEAT AND LAP BELT - CENTER MOUNTED  THREE POINT RETRACTABLE BRIGHT ORANGE COLOR 3RD MAN SEAT AND LAP BELT -CENTER MOUNTED
SUN VISORS RADIO	LEFT AND RIGHT SIDE RADIO PREP IN OVERHEAD CONSOLE	AM/FM / CD STEREO, ROOF MTD AM/FM/WB/MP3/CD/USB/BLUETOOTH
POWER PORT ADDITIONAL ELEC. SWITCHES	12V AND DASH MOUNTED CIGAR LIGHTER NO ADDITIONAL ELEC. SWITCHES	2 DASH SWITCHES, WIRED TO POWER (2) DASH SWITCHES, (1) WIRED TO POWER FOR ROOF BEACON LIGHT
BRAKE VALVE & PEDAL	FIREWALL MTD LH BRAKE PEDAL FOR LHD	FIREWALL MTD RH BRAKE PEDAL FOR RHD FIREWALL MTD LHS, FLOOR MTD RH FOR DUAL DRIVE
PTO CONTROLS LAMPS-CAB INTERIOR KEY & LOCK SETS-IGN/DOORS	NO TRANSMISSION PTO CONTROLS PROVIDED LED DOME LAMPS 2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	PTO ELECTRIC CONTROL SWITCH FLEX MAP 4 ADDITIONAL KEYS PER TRUCK (6 TOTAL) KEYED ALIKE FLEET SET #1 (23112213)
DRIVER MONITORING SYSTEM CAMERAS TRUCK ELECTRICAL CONTROL MODULE VEHICLE MONITORING SYSTEM	NO DRIVER CAM WIRING PREP OVERHEAD CONSOLE NO CAMERAS OR PREP PROVIDED NO ELECTRONIC CONTROL MODULE NO GEOTAB TRUCK MONITOR OR PREP	DRIVER CAM WIRING PREP OVERHEAD CONSOLE 3RD EYE CAMERA PREP (CAB ONLY) DIAGNOSTIC AND INFORMATION DISPLAY GEOTAB TRUCK MONITOR PREP GEOTAB TRUCK MONITOR

<b>PAINT</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
CAB PAINT TYPE	STANDARD WHITE	CAB FIRST COLOR OTHER THAN STD, NON METALLIC CAB FIRST COLOR, METALLIC
CHASSIS COLOR BUMPER COLOR	BLACK P3036 BUMPER COLOR SAME AS CAB WHITE	CHASSIS COLOR OTHER THAN STD. - SPECIFY PAINT SAME AS CAB, STEEL BUMPER COLOR SAME AS CHASSIS
DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	CUSTOM COLOR - SPECIFY (PRICE PER WHEEL) STEEL, E-COAT GREY/ ALUM-UNPAINTED
AXLE WHEELEND COLOR	SAME AS CHASSIS	

<b>BASIC WARRANTIES (INDUSTRY BEST)</b>	<b>STANDARD</b>	<b>OPTIONAL</b>
CHASSIS WARRANTY	STANDARD WARRANTY	EXTENDED WARRANTY - 2 YEARS / 200K MILES EXTENDED WARRANTY - 3 YEARS / 300K MILES EXTENDED WARRANTY - 4 YEARS / 350K MILES EXTENDED WARRANTY - 5 YEARS / 400K MILES
ENGINE WARRANTY	CUMMINS STANDARD WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 B6.7 HD1 4YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #231132 2017 B6.7 HD1 5YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231132 2017 B6.7 HD1 5YRS/250K MILES EXTENDED WARRANTY PP1 MATRIX #231132 2017 B6.7 HD1 5YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX #231132 2017 L9 HD1 3YRS/100K MILES EXTENDED WARRANTY PP1 MATRIX #231157 2017 L9 HD1 3YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231157

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

CUMMINS AFTERTREATMENT	NO EXTENDED AFTERTREATMENT WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 L9 HD1 4YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #231157 2017 L9 HD1 5YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231157 2017 L9 HD1 5YRS/250K MILES EXTENDED WARRANTY PP1 MATRIX #231157 2017 L9 HD1 5YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX #231157 2018 L9N GE1 5 YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #334196 2018 L9N GE1 5 YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #334196 2017 B6.7 AT3 AFTERTREATMENT 5YRS/150K MILES EXT WARRANTY MATRIX #231345 2017 B6.7 AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231345 2017 B6.7 AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231345 2017 B6.7 AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231345 2017 L9 AT3 AFTERTREATMENT 3YRS/100K MILES EXT WARRANTY MATRIX #231545 2017 L9 AT3 AFTERTREATMENT 3YRS/150K MILES EXT WARRANTY MATRIX #231545 2017 L9 AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231545 2017 L9 AT3 AFTERTREATMENT 5YRS/150K MILES EXT WARRANTY MATRIX #231545 2017 L9 AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231545 2017 L9 AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231545 ALLISON 5YR WARRANTY
TRANSMISSION WARRANTY	ALLISON 3YR WARRANTY	

VEHICLE RATINGS	STANDARD	OPTIONAL
VEHICLE TARE WEIGHT, FRONT	8,104 lbs.	
VEHICLE TARE WEIGHT, REAR	3,847 lbs.	
GAWF	12000 LBS	13000 LBS 14000 LBS 16000 LBS 18000 LBS
GAWR	23000 LBS	21000 LBS 26000 LBS 30000 LBS
GVWR	35000 LBS	34000 LBS 36000 LBS 37000 LBS 38000 LBS 39000 LBS 40000 LBS 41000 LBS 42000 LBS 43000 LBS 44000 LBS 45000 LBS 46000 LBS 48000 LBS

VOCAATION	
APPLICATIONS	CONCRETE PUMPER, ASPHALT DISTRIBUTOR, SWEEPER, ROAD PATCHER, REFUSE, CITY DELIVERY/BOX TRUCK, PAINT STRIPER, GEN UTILITY, GRINDER, ETC
BODY CAPACITY	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 20 YARD

CAB INSTRUMENTATION	CAB WARNING DEVICES
SPEEDOMETER	PARK BRAKE
TACHOMETER	HIGH BEAM
ENGINE OIL PRESSURE	TURN SIGNAL
COOLANT TEMPERATURE	LOW FUEL
TRANSMISSION OIL TEMPERATURE	LOW AIR
VOLTMETER	SEAT BELT
FUEL LEVEL	DPF
HOUR METER	HEST
DEF LEVEL	AIR RESTRICTION INDICATOR
PRIMARY (A) AIR PRESSURE	FILTER WITH WATER IN FUEL INDICATOR
SECONDARY (B) AIR PRESSURE	

**Autocar Expert MY 2020 Medium Duty 4X2 Class 8 Standard and Optional Specifications**

ODOMETER  
TRIPMETER

**OPERATORS CONTROLS**

PARK BRAKE PUSH/PULL  
HEADLAMPS  
TURN SIGNAL COLUMN MOUNTED  
BRAKE PEDAL  
ACCELERATOR PEDAL  
TRANSMISSION GEAR SELLECTOR PUSH BUTTON

**OPTIONAL EQUIPMENT**

FIRE EXTINGUISHER DRY TYPE ABC 5LB. CAP MTD. IN CAB  
TRIANGLE FLARE KIT IN CAB  
ADDITIONAL INSTRUMENTATION  
AUTO NEUTRAL  
EXHAUST BRAKE  
METHANE DETECTION SYSTEM  
BATTERY SHUTOFF SWITCH WITH EMERGENCY JUMPER STUDS  
PTO CONTROL SWITCH  
DAYTIME RUNNING LAMPS