## **AUTOCAR ACMD®**



ENGINE AND EQUIPMENT	Autocar Expert MY 2020 Medium Duty 6X4 Cl STANDARD	OPTIONAL
ENGINE AND EQUIT MENT ENGINE ASSY	L9 '17 300HP / 2200RPM / 860 LB-FT, CUMMINS	L9 '17, 260 HP / 2200RPM / 720 FT-LB, CUMMINS
ENGINE ASS I	L) 17 300111 / 2200101 W1 / 8000 ED-1 1, COMMUNING	L9 '17, 200 Hi / 2200RFM / 120 FT-LB, CUMMINS
		L9 '17, 350 HP / 2200RPM / 1000 FT-LB, CUMMINS
		L9 '17, 350 Hi + 2200RPM / 1150 FT-LB, CUMMINS
		L9 '17 330HP / 2200RPM / 1000 LB-FT, CUMMINS
		L9N '18 250 HP @ 730 FT-LB
		L9N 18 250 Hr @ 750 TT-LB
		L9N 18 200 Hr @ 000 FT-LB L9N 18 300 HP @ 860 FT-LB
MHEELED CVCTEM (DIECEL)	LH VERTICAL SMA	RH HORIZONTAL SMA
MUFFLER SYSTEM (DIESEL)	LH VERTICAL SWA	LH VERTICAL CATALYST
MUFFLER SYSTEM (GAS)		RH HOR CATALYST
UDEA DELIVEDY CYCTEM	DILED AME MED 5 CAL CADACITY	
UREA DELIVERY SYSTEM	RH FRAME MTD 5 GAL. CAPACITY	LH FRAME MTD 5 GAL. CAPACITY
		LH FRAME MTD 10 GAL. CAPACITY
		RH FRAME MTD 10 GAL. CAPACITY
		NO DEF TANK PROVIDED
AIR CLEANER	13" ONE STAGE	13" ONE STAGE WITH SAFETY ELEMENT
RADIATOR	1000 SQ. IN. ALUMINUM	DADIATOR CHARD
RADIATOR SHELL/HOOD BEZEL	NO RADIATOR GUARD	RADIATOR GUARD
FAN & DRIVE-ENGINE	2-SPEED FAN	
COOLANT HOSES	SILICONE HOSES WITH STEEL TUBING	
RADIATOR COOLANT	EXTENDED LIFE COOLANT	
ENGINE BLOCK HEATER	NO ENGINE BLOCK HEATER PROVIDED	PHILLIPS 120V 1000 WATT
HEATER RECEPTICAL LOCATION-ENGINE	NO BLOCK HEATER RECEPT. PROVIDED	RECEPTACLE LOCATED AT CAB STEPS, RH SIDE
STARTING AID-GLOW PLUG	GRID HEATER	NO ELECTRIC STARTING AID PROVIDED
HEATER-ENGINE OIL PAN	NO OIL PAN HEATER PROVIDED	ZERO-START,120V-150W, OIL PAN HEATER
ENGINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN ENABLED ( 5 MINUTES )	ENGINE IDLE SHUT DOWN DISABLED
BRAKE-ENGINE	NO ENGINE BRAKE PROVIDED	CUMMINS VGT EXHAUST BRAKE
EXHAUST PIPING	NO EXHAUST BLANKETS	EXHAUST BLANKETS
TRANSMISSION AND EQUIPMENT	STANDARD	OPTIONAL
TRANSMISSION	ALLISON 3000 SERIES,6-SPEED	ALLISON 3500 SERIES,6-SPEED
TRANSMISSION GEARING	6-SPEED	
TRANSMISSION CONTROLS	ALLISON PUSHBUTTON CONTROLS	
COOLER-TRANSMISSION OIL	REMOTE MOUNTED TOC	
TRANSMISSION LUBRICANT	TRANSYND SYNTHETIC AUTO TRANS FLUID	
DRIVESHAFT-MAIN	SPICER 1710HD HALF ROUND	
TRANSMISSION SUPPORTS	NO TRANSMISSION SUPPORTS PROVIDED	TRANSMISSION REAR SUPPORT
PTO-TRANSMISSION MOUNTED	NO TRANSMISSION MOUNTED PTO PROVIDED	PTO PREP - 3000/3500 TRANSMISSION W/ REAR SUPPORT
		MUNCIE CS6B-A6705-S1SS
		MUNCIE CS24-A1010-H3BX
TRANSMISSION BREATHER	NO REMOTE TRANSMISSION BREATHER	TRANSMISSION REMOTE BREATHER
TRANSMISSION OIL FILL/CHECK	OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	OIL FILL TUBE / DIPSTICK W / LEVEL SENSOR W / REMOTE BREATHER
EDON'T AVI E AND EQUIDMENT	C'T A ND A DD	ODTIONAL
FRONT AXLE AND EQUIPMENT FRONT AXLE	STANDARD DANA 1202W STEER AXLE, 12000 LB CAPACITY	OPTIONAL  DANA E-1322-W, 13,200 LB CAPACITY
PRONT AALE	DANA 1202 W STEER AALE, 12000 EB CAFACITT	
		DANA E-1462W STEER AXLE, 14600 LB CAPACITY
		MERITOR MFS-14 STEER AXLE, 14700# RATING XXXX
		MERITOR MFS-16 STEER AXLE, 16000# RATING
ED ONE GUGDENGION	SSOOLD ELATICAE 12 SOO CROUND CARACITY	MERITOR MFS-18 STEER AXLE, 18000# RATING
FRONT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	6000 LB FLATLEAF 13,200K GND CAP
		6500 LB FLATLEAF 14,500 GROUND CAPACITY
		7500 LB FLATLEAF 16,500 GROUND CAPACITY
		8500 LB FLATLEAF 18,800 GROUND CAPACITY
SHOCK ABSORBERS-FRONT	DOUBLE ACTING SINGLE - HEAVY DUTY	
SHOCK ABSORBERS-FRONT STEERING GEAR	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	DUAL INTEGRAL POWER STEERING TAS65
		DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM T100

CHASSIS AND EQUIPMENT



### Autocar Expert MY 2020 Medium Duty 6X4 Class 8 Standard and Optional Specifications

POWER STEERING RESERVOIR TWO QUART REMOTE MOUNTED
BRAKE CONTROL SYSTEM ABS 6S/4M W/PLC

BRAKE CONTROL SYSTEM
BRAKES-FOUNDATION, FRONT AXLE
BRAKE DRUM-FRONT
BRAKE DRUM-FRONT
ABS 6S/4M W/PLC
MERITOR 16.5X6 QP
CAST IRON

BRAKE SLACK ADJUSTERS-FRONT AXLE MERITOR AUTOMATIC

HUBS-FRONT STEEL HUB PILOTED,285MM BOLT CIRCLE

HUB CAPS - FRONT AXLE CR ZYTEL HUBCAP

FRONT AXLE LUBRICANT STANDARD

DUST SHIELDS - FRT BRAKES NO FRONT BRAKE DUST SHIELDS PROVIDED

STANDARD

SYNTHETIC, DANA SPICER EP75W90, OR EQUIV

DUAL INTEGRAL POWER STEERING TAS85 DUAL INTEGRAL POWER STEERING TAS65

FOUR QUART REMOTE MOUNTED

ABS 6S/4M W/ATC & PLC

DUST SHIELDS - FRONT BRAKES

OPTIONAL

DOST STILLEDS - TRT BRAKES	NOTRONI BRIKE DUST SHIELDS I KOVIDED	DOUT STILLEDS - I KOIVI BIAINES
REAR AXLE AND EQUIPMENT	STANDARD	OPTIONAL
AXLE MODEL (TANDEM)	MERITOR MT40-14X (40000 LBS) (6.14:1 or 4.63/4.88/5.29/5.86:1 RATIO)	MERITOR RT46-160 (46000 LBS) (6.14 : 1 or 4.63/4.88/5.29/5.86:1 RATIO)
REAR SUSPENSION	HENDRICKSON HMX-400 SUSP @ 54 AS	HENDRICKSON HAS 402, AIR RIDE, 40,000 LB CAPACITY
		HENDRICKSON PAX-EX-462, AIR RIDE @ 54, 46,000 LB CAP
		HENDRICKSON HMX-460 SUSP @ 54 AS
SHOCK ABSORBERS-REAR	4 SHOCK ABSORBERS HENDRICKSON SUSPENSION	
BRAKE CONTROL SYSTEM	ABS 6S/4M W/PLC	ABS 6S/4M W/ATC & PLC
BRAKES-FOUNDATION, REAR AXLE	MERITOR 16.5X6 QP	
BRAKE DRUMS	CAST IRON	
BRAKE SLACK ADJUSTERS-REAR AXLE	MERITOR AUTOMATIC, TANDEM AXLE	
HUBS-REAR	IRON HUB, HP 10 STUD	
REAR AXLE LUBRICANT	STANDARD	SYNTHETIC
REAR AXLE LUBE PUMP	NO LUBRICATION PUMP	DIFFERENTIAL PUMP - MERITOR
REAR DRIVE AXLE STOPS	REAR BUMPSTOPS REQUIRED	NO REAR BUMPSTOPS REQUIRED
REAR DRIVE AXLE ANTI-SPIN DEVICES	NO ANTI-SPIN DEVICES PROVIDED	TANDEM AXLE REAR CARRIER ONLY
		FOUR WHEEL LOCK

TORQUE RODS	LONGITUDINAL ONLY - RUBBER BUSHED	LONGITUDINAL & TRANSVERSE - RUBBER BUSHED
WHEEL OIL SEALS-REAR	SCOTSEAL PLUS XL	

DUST SHIELDS - REAR BRAKES NO REAR AXLE DUST SHIELDS PROVIDED DUST SHIELDS - REAR BRAKES

WHEELBASE	165 INCHES	150, 153, 156, 159, 162, 168 INCHES
		171, 174, 177, 179, 180, 183, 186, 189, 192, 195, 198 INCHES
		201, 204, 207, 210, 213, 216, 219, 220, 222, 224 INCHES
		RANGE BY REQUEST
FRAME RAILS	10" X 3" X 3/8" 120KSI STRAIGHT RAIL SECTION - 2.13M RBM	
FRAME REINFORCEMENT INNER	.25" LINER, STANDARD LENGTH	
FRAME FASTENERS	HUCK BOLTS	FASTENERS AVAILABLE BY REQUEST FOR BODY MOUNTING
BUMPER FRONT	STANDARD DUTY BUMPER	HEAVY DUTY
TOW DEVICE(S)	TWO TOW HOOKS INTEGRAL W/X-MEMBER	
FRAME-FRONT EXTENSION	NO FRONT FRAME EXTENSION PROVIDED	HD FRONT MOUTING EQUIPMENT (LOAD CAP 4000NM, 2950 TO 3800NM, 2800 FT. LBS.)
FRAME-REAR CUT-OFF	STRAIGHT	NOTCH FOR SWEEPER BODY
FRAME CROSSMEMBER-CENTER	7-PIECE STEEL CROSSMEMBERS	
FRAME CROSSMEMBER-OVERHANG	7 PC STEEL CMBR ROS - IF REQUIRED	

FRAME CROSSMEMBER-END CLOSING	NO FRAME END CLOSING X-MEMBER PROVIDED	STEEL
AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	

PNEUMATIC SYSTEM (RAPID FILL)	STANDARD	OPTIONAL
AIR COMPRESSOR	CUMMINS WABCO 18.7 CFM COMPRESSOR	
AIR RESERVOIR DRAIN SYSTEM	PULL CORDS ALL TANKS	PULL CORDS WITH DV/2 WET TANK DRAIN
		PULL CORDS WITH HEATED DV/2 WET TANK DRAIN
		CENTRAL DRAIN MANIFOLD WITH DV/2 WET TANK DRAIN
		CENTRAL DRAIN MANIFOLD WITH HEATED DV/2 WET TANK DRAIN
		DV/2 IN ALL TANKS (NON-HEATED)
		CENTRAL DRAIN MANIFOLD W/HTD DV/2 WET TANK DRAIN/SCHRADER CHARGE PORT

### **AUTOCAR ACMD®**



AUTULAN ALIVID		An ISO 9001:2000 Certified Company
	Autocar Expert MY 2020 Medium Duty 6X4 Class 8	Standard and Optional Specifications
AIR TANK-BRAKE	STEEL AIR TANKS	
AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	
AIR DRYER	WABCO 1200 PLUS AIR DRYER	WABCO 1200 PLUS AIR DRYER W/HALDEX CONSEP CONDENSER/SEPARATOR
EMERGENCY AIR SYSTEM CHARGING	NO EMERGENCY CHARGING SYSTEM	SINGLE GLADHAND, FRONT BUMPER, WET TANK
FUEL SYSTEM	STANDARD	OPTIONAL
FUEL TANK-LEFT	TEMP. FUEL TANK	50 GAL RECT STEEL TANK, LH MOUNTED
		50 GAL ALUMINUM RECR TANK, LH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM
		75 GAL 26" ROUND STEEL TANK
		100 GAL 26" DIA UNPAINTED ALUM
		100 GAL 26" DIA STEEL
		ALTERNATE FUEL ENGINE-NO LH TANK
		DELETE LHS FUEL TANK
FUEL TANK-RIGHT	DELETE RHS FUEL TANK	50 GAL RECT STEEL TANK, RH MOUNTED
		50 GAL ALUMINUM RECT TANK, RH MOUNTED
		75 GAL 26" DIA UNPAINTED ALUMINUM
		75 GAL 26" DIA STEEL 100 GAL 26" DIA UNPAINTED ALUM
		100 GAL 26" DIA STEEL
FUEL TANK MOUNTING LHS	FUEL TANK MTD FWD LHS - STD (IF PROVIDED)	FUEL TANK MTD LHS OTHER THAN STD - SPECIFY
	(	NO LH FUEL TANK POSITION
FUELTANK MOUNTING RHS	NO RH FUEL TANK POSITION	FUEL TANK MTD FWD RHS - STD (IF PROVIDED)
		FUEL TANK MOUNTED RHS OTHER THAN STD - SPECIFY
FUEL FILTER ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	NATURAL GAS FUEL CLEANER
FUEL FILTER CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR, PROBE & DASH LIGHT	FLEETGUARD FS SERIES F / W HEATER, SEPARATOR, PROBE & DASH LIGHT
FUEL LINES	SAE J844 NYLON TUBING	NO ADDITIONAL FUEL FILTER PROVIDED STAINLESS STEEL FOR CNG OR LNG
TODE LINES	SAL JOH ATLON TODAY	STAILLESS STELL FOR CAG OR LAG
TIRES AND WHEELS	STANDARD	OPTIONAL
TIRE SIZE & LOAD RANGE - FRONT	11R22.5G	12R22.5J 11R22.5H
		12R22.5H
		275/70R22.5J
		295/75R22.5G
		315/80R22.5L
		315/80R22.5M
WHEELS-DISC FRONT	22.5x8.25 STEEL HP, 6.18 INSET, 5HH	22.5x8.25 ALUMINUM HP, 5.79 INSET, ALCOA #883677 LV1 FINISH
		22.5 x 8.25, ALUMINUM HP, 5.71 INSET, ACCURIDE 22.5X9.00 ALUMINUM HP, 5.96 INSET, ALCOA #89U64
		22.5X9.00 ALUMINUM HP, 6.02 INSET, ACCURIDE (WEIGHT REDUCTION)
		22.5x9.0 STEEL HP, 6.38 INSET, 5HH
		22.5X9.0 STEEL, HP, 5.25 INSET, 5HH, ACCURIDE #29039
TIRE SIZE & LOAD RANGE - REAR	11R22.5G	11R22.5H
		12R22.5H
		12R22.5J
		275/70R22.5J
		295/75R22.5G 315/80R22.5L
		315/80R22.5M
		455/55R22.5M
WHEELS-DISC REAR	22.5X8.25 STEEL, HP, 5HH	22.5X9.0 STEEL, HP, 5HH
		22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH

22.5X14 ALUMINUM HP, ALCOA #840608 LV1 FINISH

22.5 x 8.25, ALUMINUM HP, ACCURIDE

OPTIONAL

ELECTRICAL SYSTEMSTANDARDELECTRICAL SYSTEM12V, NEGATIVE GROUND



		An ISO 9001:2000 Certified Company
	Autocar Expert MY 2020 Medium Duty 6X4 Class 8 Star	ndard and Optional Specifications
ALTERNATOR	DELCO REMY 12V 130AMP 22SI	DELCO REMY 36SI 12V 160 AMP
ALILKVATOK	DEECO REWIT 12 v 130Alvii 2231	DELCO REMY 160 AMP, 28SI PAD MTD W/REMOTE SENSE
		DELCO REMY 200 AMP, 28SI PAD MTD.
STARTING MOTOR	DELCO REMY 12V 39 MT W/OCP	DELCO KEMIT 200 AMIT, 26311 AD MID.
BATTERY		2 BATTERIES, 31 ECL, 12V, 2000CCA
	2 BATTERIES, 31 ECL, 12V, 1900CCA	2 BATTERIES, 31 ECL, 12 V, 2000CCA
BATTERY BOX	BATTERY BOX, 2 BATTERY CAPACITY	CHUTTOFF W/ LOCKOUT & EMERGENCY HAMPER STUDG
BATTERY SHUT-OFF SWITCH	NO BATTERY SHUT-OFF SWITCH PROVIDED	SHUTOFF W/ LOCKOUT & EMERGENCY JUMPER STUDS
WIRING, BODY INTERFACE	NO BODY INTERFACE OPTION	RP 170 COMPLIANT
BACKUP ALARM	ECCO SMART ALARM SA917	ECCO RMS 917 WITH MOTION DETECTOR XXXX
WINDOWS D. WINDERG	EVECTOR OF MEETING WILLIAM	NO BACKUP ALARM PROVIDED
WINDSHIELD WIPERS	ELECTRIC INTERMITTENT WIPERS	
HORN	SINGLE ELECTRIC	THE LOCAL PROPERTY OF THE PARTY
HORN-AIR	NO AIR HORN PROVIDED	TWIN MOUNTED UNDER CAB
LIGHTING	STANDARD	OPTIONAL
LAMPS-HEAD	RECTANGULAR SEALED BEAM	LED HEADLAMPS
LAMPS-RUNNING	NO DAYTIME RUNNING LIGHTS PROVIDED	DAYTIME
LAMPS-STOP-TAIL	NO TAIL OR BACK-UP LAMPS PROVIDED	DOT 4 INCANDESCENT TAIL (TURN/BRAKE/BACK-UP) LAMPS
Elimino biol irine	NO THE ORDION OF EMMISTROVIDED	DOT 4 LED TAIL (TURN/BRAKE/BACK-UP) LAMPS
		DUAL LED TRUCKLITE MODEL 44
STOP-TAIL HARNESS	OMIT TAIL LAMPS, BB CONN @ EOF	STD TAIL LAMP WIRING
LAMPS-TURN SIGNAL -FRONT	AMBER FRONT TURN SIGNALS	LED FRONT TURN SIGNALS
LAMPS-MARKER	AMBER LED ROOF MARKERS	CLEARANCE (ROOF CORNER) LAMPS WIRED TO BATTERY SHUT OFF
LAMIFS-MARKER	ANIBER LED ROOF MARKERS	
		(LINK TO DISCONNECT SWITCH)
CAB AND EQUIPMENT	STANDARD	OPTIONAL
CAB SHELL	SINGLE LEFT HAND DRIVE CAB	DUAL DRIVE LH AND RH SIT
0.10 5.1000	SHOOD LEAT HEAVE DIGITE CHE	SINGLE RIGHT HAND DRIVE CAB
CAB DOORS	STEEL DOORS W/DUAL POWER WINDOWS	
STEP-CAB ACCESS, CAB MOUNTED	DUAL SELF CLEANING CAB ENTRANCE STEPS	
CAB FLOOR	WEAR RESISTANT MAT WITH FOAM BACK	
CAB DASH	DARK GREY WRAP-AROUND, 2X OVERSIZED CUP HOLDERS	
OVERHEAD CONSOLE	2X STORAGE BINS, CENTER MOUNTED RADIO SLEEVE	
CAB MOUNTING	PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR	
CAB TILT MECHANISM-C.O.E.	HYDRAULIC TILT WITH OUTO ENGAGE SAFETY LATCH	
MIRRORS-DUAL WEST COAST	MIRROR, BLACK, MOTORIZED/HTD POLYCARBONATE HOUSING W/SQUARE	
MIRRORS-DUAL WEST COAST		
MIDDODG AUVILIADV	MOTORIZED/HTD CONVEX MIRROR	MIRROR, CHROME, HTD, REMOTE, W / LWR HTD CONVEX
MIRRORS-AUXILIARY	NO CONVEX AUX. MIRRORS PROVIDED	LOW MOUNT 8 CONVEX MIRROR BLACK POLYCARBONATE HOUSING
DOWN LIEU LAND ODG	NO DOWN WENT MEDIODS PROVIDED	HIGH MOUNT 8 CONVEX, CHROME
DOWN VIEW MIRRORS	NO DOWN VIEW MIRRORS PROVIDED	SINGLE DOWN VIEW MIRROR, RH SIDE
CDW I F	AUTOCAR CRILLERI ACIV	DUAL DOWN VIEW MIRRORS, ONE EACH SIDE
GRILLE	AUTOCAR GRILLE BLACK	CHROMED AUTOCAR GRILLE
		AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER
CAR OF BAARE CONTROL CYCOTES	44 000 DELL'EDEGLI AID HEATER AND AR CONSTRUCTOR DIGITAL CONTRACTOR	AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER
CAB CLIMATE CONTROL SYSTEM	44,000 BTU FRESH AIR, HEATER AND AIR CONDITIONER, DIGITAL CLIMATE	
CONTRACTOR OF THE CONTRACTOR O	CONTROL	DIVAL ADA TRUT AND TRU DOGODIG CITEDING CONTROL
STEERING COLUMN	ADJ. TILT AND TELESCOPIC STEERING COLUMN	DUAL ADJ. TILT AND TELESCOPIC STEERING COLUMNS
STEERING WHEEL	SINGLE DRIVE 16 INCH DIAMETER	SINGLE DRIVE 18 INCH DIAMETER
		DUAL DRIVE 16 INCH DIAMETER
		DUAL DRIVE 18 INCH DIAMETER
SEAT-DRIVER	STANDARD MECHANICAL SUSPENSION WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE W/RH ARM REST AND LUMBAR
		SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT
SEAT-PASSENGER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE W/ LH ARM REST AND LUMBAR
		SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT
ADDITIONAL SEAT - PASSENGER	NO THIRD MAN SEAT AND LAP BELT PROVIDED	THIRD MAN SEAT AND LAP BELT - CENTER MOUNTED
SEAT COVERING	BLACK CONDURA PLUS® CLOTH FABRIC	
SEAT BELT	THREE POINT RETRACTABLE	THREE POINT RETRACTABLE BRIGHT ORANGE COLOR
		3RD MAN SEAT AND LAP BELT -CENTER MOUNTED

# $\textbf{AUTOCAR} \ \textbf{ACMD}^{\$}$

**GVWR** 

52000 LBS



AUTUUATTAUND		An ISO 9001:2000 Certified Company
	Autocar Expert MY 2020 Medium Duty 6X4 Class 8 S	
		randard and Optional Optimizations
SUN VISORS	LEFT AND RIGHT SIDE	AMEN CONCERNO POOR MED
RADIO	RADIO PREP IN OVERHEAD CONSOLE	AM/FM / CD STEREO, ROOF MTD
POWER PORT	12V AND DASH MOUNTED CIGAR LIGHTER	AM/FM/WB/MP3/CD/USB/BLUETOOTH
ADDITIONAL ELEC. SWITCHES	NO ADDITIONAL ELEC. SWITCHES	2 DASH SWITCHES, WIRED TO POWER
ADDITIONAL ELEC. SWITCHES	NO ADDITIONAL ELLC. SWITCHES	(2) DASH SWITCHES, (1) WIRED TO POWER FOR ROOF BEACON LIGHT
BRAKE VALVE & PEDAL	FIREWALL MTD LH BRAKE PEDAL FOR LHD	FIREWALL MTD RH BRAKE PEDAL FOR RHD
		FIREWALL MTD LHS, FLOOR MTD RH FOR DUAL DRIVE
PTO CONTROLS	NO TRANSMISSION PTO CONTROLS PROVIDED	PTO ELECTRIC CONTROL SWITCH
LAMPS-CAB INTERIOR	LED DOME LAMPS	FLEX MAP
KEY & LOCK SETS-IGN/DOORS	2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	4 ADDITIONAL KEYS PER TRUCK (6 TOTAL)
		KEYED ALIKE FLEET SET #1 (23112213)
DRIVER MONITORING SYSTEM	NO DRIVER CAM WIRING PREP OVERHEAD CONSOLE	DRIVER CAM WIRING PREP OVERHEAD CONSOLE
CAMERAS	NO CAMERAS OR PREP PROVIDED	3RD EYE CAMERA PREP (CAB ONLY)
TRUCK ELECTRICAL CONTROL MODULE	NO ELECTRONIC CONTROL MODULE	DIAGNOSTIC AND INFORMATION DISPLAY
VEHICLE MONITORING SYSTEM	NO GEOTAB TRUCK MONITOR OR PREP	GEOTAB TRUCK MONITOR PREP
		GEOTAB TRUCK MONITOR
PAINT	STANDARD	OPTIONAL
CAB PAINT TYPE	STANDARD WHITE	CAB FIRST COLOR OTHER THAN STD, NON METALLIC
		CAB FIRST COLOR, METALLIC
CHASSIS COLOR	BLACK P3036	CHASSIS COLOR OTHER THAN STD SPECIFY
BUMPER COLOR	BUMPER COLOR SAME AS CAB WHITE	PAINT SAME AS CAB, STEEL
		BUMPER COLOR SAME AS CHASSIS
DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	CUSTOM COLOR - SPECIFY (PRICE PER WHEEL) STEEL. E-COAT GREY/ ALUM-UNPAINTED
AXLE WHEELEND COLOR	SAME AS CHASSIS	SIEEL, E-COAI GRE 1/ ALUM-UNPAINTED
AALE WILLELIND COLOR	SAME AS CHASSIS	
BASIC WARRANTIES (INDUSTRY BEST)	STANDARD	OPTIONAL
CHASSIS WARRANTY	STANDARD WARRANTY	EXT WARRANTY - 2 YEARS / 200K MILES
		EXT WARRANTY - 3 YEARS / 300K MILES
		EXT WARRANTY - 4 YEARS / 350K MILES
ENGINE WARRANTY	CUMMINS STANDARD WARRANTY (2 YRS -ISL, 3 YRS ISB)	EXT WARRANTY - 5 YEARS / 400K MILES 2017 L9 HD1 3YRS/100K MILES EXTENDED WARRANTY PP1 MATRIX #231157
ENGINE WARRANTT	COMMINS STANDARD WARRANTT (2 TRS -ISL, 5 TRS ISB)	2017 L9 HD1 31R3/100K MILES EXTENDED WARRANTY PP1 MATRIX #231157 2017 L9 HD1 3YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 3 TRS/150R MILES EXTENDED WARRANTY PP1 MATRIX #231157 2017 L9 HD1 4YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 5YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 5YRS/250K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 5YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2018 L9N GE1 5 YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #334196
		2018 L9N GE1 5 YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #334196
CUMMINS AFTERTREATMENT	NO EXTENDED AFTERTEATMENT WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 L9 AT3 AFTERTREATMENT 3YRS/100K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 3YRS/150K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 5YRS/150K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231545
TRANSMISSION WARRANTY	ALLISON 3YR WARRANTY	2017 L9 AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231545 ALLISON 5YR WARRANTY
TRANSMISSION WARRANT	ALLIGOIVEIN WARRANTI	ALLISON STR WINGHTI
VEHICLE RATINGS	STANDARD	OPTIONAL
VEHICLE TARE WEIGHT, FRONT	8,395 lbs.	
VEHICLE TARE WEIGHT, REAR	4,343 lbs.	12000 I DC
GAWF	12000 LBS	13000 LBS
		14000 LBS 16000 LBS
		18000 LBS
GAWR	40000 LBS	46000 LBS
CVWP	52000 I BS	52000 I BS

53000 LBS



#### Autocar Expert MY 2020 Medium Duty 6X4 Class 8 Standard and Optional Specifications

54000 LBS 56000 LBS 58000 LBS 59000 LBS 60000 LBS 62000 LBS

VOCATION APPLICATIONS

TRIPMETER

CONCRETE PUMPER, ASPHALT DISTRIBUTOR, SWEEPER, ROAD PATCHER, REFUSE, CITY DELIVERY/BOX TRUCK, PAINT STRIPER, GEN UTILITY, ETC

BODY CAPACITY 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 20, 22, 24, 25 YARD

CAB INSTRUMENTATION	CAB WARNING DEVICES
SPEEDOMETER	PARK BRAKE
TACHOMETER	HIGH BEAM
ENGINE OIL PRESSURE	TURN SIGNAL
COOLANT TEMPERATURE	LOW FUEL
TRANSMISSION OIL TEMPERATURE	LOW AIR
VOLTMETER	SEAT BELT
FUEL LEVEL	DPF
HOUR METER	HEST
DEF LEVEL	AIR RESTRICTION INDICATOR
PRIMARY (A) AIR PRESSURE	FILTER WITH WATER IN FUEL INDICATOR
SECONDARY (B) AIR PRESSURE	
ODOMETER	

OPERATORS CONTROLS	OPTIONAL EQUIPMENT
PARK BRAKE PUSH/PULL	FIRE EXTINGUISHER DRY TYPE ABC 5LB. CAP MTD. IN CAB
HEADLAMPS	TRIANGLE FLARE KIT IN CAB
TURN SIGNAL COLUMN MOUNTED	ADDITIONAL INSTRUMENTATION
BRAKE PEDAL	AUTO NEUTRAL
ACCELERATOR PEDAL	EXHAUST BRAKE
TRANSMISSION GEAR SELLECTOR PUSH BUTTON	METHANE DETECTION SYSTEM
	BATTERY SHUTOFF SWITCH WITH EMERGENCY JUMPER STUDS
	PTO CONTROL SWITCH
	DAYTIME RUNNING LAMPS